

CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026 Valid from: Oct.26,2021

Valid until: Oct.26,2024

Tel: +86 10 83886666

NAME AND REGISTERED WOLONG ELECTRIC NANYANG EXPLOSION PROTECTION GROUP CO.,LTD

ADDRESS OF THE APPLICANT NO.1801 dushandadao Road, Nanyang, Henan

BRAND NAME CNE

NAME AND REGISTERED

ADDRESS OF THE

NO.1801 dushandadao Road, Nanyang, Henan

MANUFACTURER

NAME AND LOCATION

WOLONG ELECTRIC NANYANG EXPLOSION PROTECTION GROUP CO.,LTD

WOLONG ELECTRIC NANYANG EXPLOSION PROTECTION GROUP CO.,LTD

OF THE FACTORY NO.1 Funiu Road, Nanyang, Henan

PRODUCT NAME, explosion-proof of three-phase induction motor

MODEL AND SPECIFICATION See Appendix

THE STANDARDS AND

TECHNICAL REQUIREMENTS

FOR THE PRODUCTS

GB 18613-2020

TYPE OF CERTIFICATION

SCHEMES

Type Testing of Product + Initial Factory Inspection + Follow up Factory Inspection

This is to certify that the above mentioned product(s) complies with the requirements of CQC31-461121-2021.

The validity of the certificate is subject to positive result of the regular follow up inspection by issuing certification body until the expiry date.

Accredited by China National Accreditation Service for Conformity Assessment CNAS C001-P

 $The \ certificate \ information \ is \ available \ through \ the \ QR \ code \ below \ or \ CNCA's \ website: www.cnca.gov.cn$



http://www.cqc.com.cn

Section 9, No. 188, Nansihuan Xilu, Beijing 100070 P.R.China



CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026

page 1 of 11

Tel: +86 10 83886666

paper:

序号	型号	电压	频率	额定功率	极数	绝缘	防护	工作制	能效
げっ	坐与	(V)	(Hz)	(kW)	10人女人	等级	等级	工作啊	等级
1.	YBX5-80M1-2		50	0.75	2	F	IP55	S1	1
2.	YBX5-80M2-2		50	1.1	2	F	IP55	S1	1
3.	YBX5-90S-2		50	1.5	2	JUD FÜL	IP55	S1	1
4.	YBX5-90L-2	220、	50	2.2	2	F	IP55	S1	1
5.	YBX5-100L-2	380、	50	3	2	F	IP55	S1	1
6.	YBX5-112M-2	220/380	50	4	2	F	IP55	S1	1
7.	YBX5-132S1-2	THE STATE OF THE S	50	5.5	2	F	IP55	S1	1
8.	YBX5-132S2-2	Explained in the second	50	7.5	2	F	IP55	S1	1
9.	YBX5-160M1-	380、 660、	50	11	2	F	IP55	S1	1
10.	YBX5-160M2- 2	380/660	50	15	2	F	IP55	S1	1





CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026

page 2 of 11

Tel: +86 10 83886666

paper:

Ġ-D		电压	频率	额定功率	+17. * +-	绝缘	防护	工	能效
序号	型号	(V)	(Hz)	(kW)	极数	等级	等级	工作制	等级
11.	YBX5-160L-2		50	18.5	2	F	IP55	S1	1
12.	YBX5-180M-2		50	22	2	F	IP55	S1	1
13.	YBX5-200L1-2		50	30	2	FILE	IP55	S1	1
14.	YBX5-200L2-2	Na Carlotte	50	37	2	F	IP55	S1	1
15.	YBX5-225M-2		50	45	2	F	IP55	S1	1
16.	YBX5-250M-2		50	55	2	F	IP55	S1	1
17.	YBX5-280S-2	The state of the s	50	75	2	F	IP55	S1	1
18.	YBX5-280M-2	E DE MENTE	50	90	2	F	IP55	S1	1
19.	YBX5-315S-2		50	110	2	ENIFERINGS.	IP55	S1	1
20.	YBX5-315M-2		50	132	2	F	IP55	S1	1
21.	YBX5-315L1-2		50	160	2	F	IP55	S1	1
22.	YBX5-315L-2		50	185	2	F	IP55	S1	1





CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026

page 3 of 11

Tel: +86 10 83886666

paper:

序号	型号	电压	频率	额定功率	+T2 **-	绝缘	防护	工作制	能效
净亏	型 5 8 8	(V)	(Hz)	(kW)	极数	等级	等级	工作制	等级
23.	YBX5-315L2-2		50	200	2	F	IP55	S1	1
24.	YBX5-355S1-2		50	185	2	F	IP55	S1	1
25.	YBX5-355S2-2		50	200	2	JUD FÜL	IP55	S1	1
26.	YBX5-355M1-		50	220	2	F	IP55	S1	1
27.	YBX5-355M2-		50	250	2	F	IP55	S1	1
28.	YBX5-355L1-2	E January January	50	280	2	F	IP55	S1	1
29.	YBX5-355L2-2		50	315	2	F F	IP55	S1	1
30.	YBX5-80M1-4		50	0.55	4	F	IP55	S1	1
31.	YBX5-80M2-4		50	0.75	4	F	IP55	S1	1
32.	YBX5-90S-4		50	1.1	4	F	IP55	S1	1





CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026

page 4 of 11

Tel: +86 10 83886666

paper:

Ġ-D	京号 型号	电压	频率	额定功率	+17. * +-	绝缘	防护	工	能效
予亏	型亏	(V)	(Hz)	(kW)	极数	等级	等级	工作制	等级
33.	YBX5-90L-4		50	1.5	4	F	IP55	S1	1
34.	YBX5-100L1-4		50	2.2	4	F	IP55	S1	1
35.	YBX5-100L2-4		50	3	4	JUE F	IP55	S1	1
36.	YBX5-112M-4	Sa Carried	50	4	4	F	IP55	S1	1
37.	YBX5-132S-4		50	5.5	4	F	IP55	S1	1
38.	YBX5-132M-4		50	7.5	4	F	IP55	S1	1
39.	YBX5-160M-4	A STATE OF THE STA	50	11	4////	F	IP55	S1	1
40.	YBX5-160L-4	Es De Malle	50	15	4	F	IP55	S1	1
41.	YBX5-180M-4		50	18.5	4	F F	IP55	S1	1
42.	YBX5-180L-4		50	22	4	F	IP55	S1	1
43.	YBX5-200L-4		50	30	4	F	IP55	S1	1
44.	YBX5-225S-4		50	37	4	F	IP55	S1	1





CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026

page 5 of 11

Tel: +86 10 83886666

paper:

序号	型号	电压	频率	额定功率	+ 17. * <i>b</i>	绝缘	防护	⊤ / ← 生』	能效
净亏	型 5 8 8	(V)	(Hz)	(kW)	极数	等级	等级	工作制	等级
45.	YBX5-225M-4		50	45	4	F	IP55	S1	1
46.	YBX5-250M-4		50	55	4	F	IP55	S1	1
47.	YBX5-280S-4		50	75	4	AND FILE	IP55	S1	1
48.	YBX5-280M-4		50	90	4	F	IP55	S1	1
49.	YBX5-315S-4		50	110	4	F	IP55	S1	1
50.	YBX5-315M-4		50	132	4	F	IP55	S1	1
51.	YBX5-315L1-4	THE STATE OF THE S	50	160	4///	F	IP55	S1	1
52.	YBX5-315L-4	E John J. J.	50	185	4	F	IP55	S1	1
53.	YBX5-315L2-4		50	200	4	E E	IP55	S1	1
54.	YBX5-355S1-4		50	185	4	F	IP55	S1	1
55.	YBX5-355S2-4		50	200	4	F	IP55	S1	1
56.	YBX5-355M1-		50	220	4	F	IP55	S1	1





CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026

page 6 of 11

Tel: +86 10 83886666

paper:

序号	型号	电压	频率	额定功率	+T2 * Fr	绝缘	防护	工	能效
净亏	型 写	(V)	(Hz)	(kW)	极数	等级	等级	工作制	等级
	4								
F-7	YBX5-355M2-		- FO	050			IDEE	04	4
57.	4		50	250	1 4 A	JIIB MINISTER	IP55	S1	1
58.	YBX5-355L1-4	Wenning Wall	50	280	4	F	IP55	S1	1
59.	YBX5-355L2-4		50	315	4	F	IP55	S1	1
60.	YBX5-80M1-6		50	0.37	6	F	IP55	S1	1
61.	YBX5-80M2-6	A STATE OF THE STA	50	0.55	6	F	IP55	S1	1
62.	YBX5-90S-6	E Jana Ji	50	0.75	6	F	IP55	S1	1
63.	YBX5-90L-6		50	1.1	6	F F	IP55	S1	1
64.	YBX5-100L-6		50	1.5	6	F	IP55	S1	1
65.	YBX5-112M-6		50	2.2	6	F	IP55	S1	1
66.	YBX5-132S-6		50	3	6	F	IP55	S1	1





CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026

page 7 of 11

Tel: +86 10 83886666

paper:

序号	型号	电压	频率	额定功率	极数	绝缘	防护	工作制	能效
卢万	空 写	(V)	(Hz)	(kW)	似致	等级	等级	工作制	等级
67.	YBX5-132M1-		50	4	6	F	IP55	S1	1
07.	6		3				11 33	5	•
	YBX5-132M2-				HIMINA I	SIND MILES	Alle alle	0.1	_
68.	6	A STATE OF THE STA	50	5.5	6	F	IP55	S1	1
69.	YBX5-160M-6		50	7.5	6	F	IP55	S1	1
70.	YBX5-160L-6		50	11	6	F	IP55	S1	1
71.	YBX5-180L-6	THE STATE OF THE S	50	15	6	F	IP55	S1	1
72.	YBX5-200L1-6	E Denight	50	18.5	6	F	IP55	S1	1
73.	YBX5-200L2-6		50	22	6	F	IP55	S1	1
74.	YBX5-225M-6		50	30	6	F	IP55	S1	1
75.	YBX5-250M-6		50	37	6	F	IP55	S1	1
76.	YBX5-280S-6		50	45	6	F	IP55	S1	1





CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026

page 8 of 11

Tel: +86 10 83886666

paper:

序号	型号	电压	频率	额定功率	极数	绝缘	防护	工作制	能效
げっ	坐与	(V)	(Hz)	(kW)	10人女人	等级	等级	工作啊	等级
77.	YBX5-280M-6		50	55	6	F	IP55	S1	1
78.	YBX5-315S-6		50	75	6	E.	IP55	S1	1
79.	YBX5-315M-6		50	90	6	Fall	IP55	S1	1
80.	YBX5-315L1-6		50	110	6 WANTER	F	IP55	S1	1
81.	YBX5-315L2-6		50	132	6	F	IP55	S1	1
82.	YBX5-355S-6		50	160	6	F	IP55	S1	1
83.	YBX5-355M1-	The state of the s	50	185	6	F	IP55	S1	1
65.	6	E DINGHI	Simple	103	THE STATE OF THE S		IF 33	5	ľ
84.	YBX5-355M2-		50	200	6	F	IP55	S1	1
04.	6		30	200	0	Γ	IF 33	51	I
85.	YBX5-355L1-6		50	220	6	F	IP55	S1	1
86.	YBX5-355L2-6		50	250	6	F	IP55	S1	1





CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026

page 9 of 11

Tel: +86 10 83886666

paper:

序号	피ㅁ	电压	频率	额定功率	+17. * +-	绝缘	防护	工	能效
净亏	型号	(V)	(Hz)	(kW)	极数	等级	等级	工作制	等级
87.	YBX5-80M1-8		50	0.18	8	F	IP55	S1	1
88.	YBX5-80M2-8		50	0.25	8	F	IP55	S1	1
89.	YBX5-90S-8		50	0.37	8	JUD FÜL	IP55	S1	1
90.	YBX5-90L-8	IN THE STATE OF TH	50	0.55	8	F	IP55	S1	1
91.	YBX5-100L1-8		50	0.75	8	F	IP55	S1	1
92.	YBX5-100L2-8		50	1.1	8	F	IP55	S1	1
93.	YBX5-112M-8	THE STATE OF THE S	50	1.5	8	F	IP55	S1	1
94.	YBX5-132S-8	E Jania Li	50	2.2	8	F	IP55	S1	1
95.	YBX5-132M-8		50	3	8	F	IP55	S1	1
96.	YBX5-160M1-		50	4	8	F	IP55	S1	1
90.	8		50	4	0	Г	11700	31	
97.	YBX5-160M2-		50	5.5	8	F	IP55	S1	1





CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026

page 10 of 11

Tel: +86 10 83886666

paper:

ė -		电压	频率	额定功率	177 ¥L	绝缘	防护	工 /	能效
序号	型号	(V)	(Hz)	(kW)	极数	等级	等级	工作制	等级
	8								
98.	YBX5-160L-8		50	7.5	8	P. F.	IP55	S1	1
99.	YBX5-180L-8		50	11	8	AND FILE	IP55	S1	1
100.	YBX5-200L-8		50	15	8	F	IP55	S1	1
101.	YBX5-225S-8		50	18.5	8	F	IP55	S1	1
102.	YBX5-225M-8		50	22	8	F	IP55	S1	1
103.	YBX5-250M-8	THE STATE OF THE S	50	30	8	F	IP55	S1	1
104.	YBX5-280S-8	E DE MENTE	50	37	8	F	IP55	S1	1
105.	YBX5-280M-8		50	45	8	E E	IP55	S1	1
106.	YBX5-315S-8		50	55	8	F	IP55	S1	1
107.	YBX5-315M-8		50	75	8	F	IP55	S1	1
108.	YBX5-315L1-8		50	90	8	F	IP55	S1	1





CHINA CERTIFICATE FOR ENERGY CONSERVATION PRODUCT

CERTIFICATE NO.: CQC21701318026

page 11 of 11

Tel: +86 10 83886666

paper:

6		电压	频率	额定功率	+T2 * F-	绝缘	防护	ナル #』	能效
序号	型号	(V)	(Hz)	(kW)	极数	等级	等级	工作制	等级
109.	YBX5-315L2-8		50	110	8	F	IP55	S1	1
110.	YBX5-355S-8		50	132	8	F	IP55	S1	1
111.	YBX5-355M-8		50	160	8	F	IP55	S1	1
112.	YBX5-355L1-8		50	185	8	F	IP55	S1	1
113.	YBX5-355L2-8		50	200	8	F	IP55	S1	1

